

**From:** Richard Rupert/R3/USEPA/US  
**Sent:** 4/23/2012 6:13:37 PM  
**To:** Richard Fetzer/R3/USEPA/US@EPA  
**CC:**  
**Subject:** Re: Dimock 2nd Round Re Sampling - OSC Recommendation

what was the wet chemistry list?

---

Richard Rupert,  
On-Scene Coordinator  
U.S. EPA  
1650 Arch Street - 3HS31  
Philadelphia, PA 19103  
(215) 814-3463 - office  
215 514-8773 - mobile  
rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."  
Colin Powell

**From:** Richard Fetzer/R3/USEPA/US  
**To:** carney.dennis@epa.gov, heston.gerald@epa.gov  
**Cc:** Kelley Chase/R3/USEPA/US@EPA, Richard Rupert/ESC/R3/USEPA/US  
**Date:** 04/23/2012 01:14 PM  
**Subject:** Dimock 2nd Round Re Sampling - OSC Recommendation

Den/Jerry,

Here's the OSC recommendation we have been working on for resampling. As you know, we are just now able to look at majority of validated and/or final data. Given the direction to focus on the protection of health of the residents from their water quality, we recommend resampling 14 homes. We also are recommending to analyze for metals and methane. The inclusion of Rad and specific VOCs/SVOCs are still pending additional information. I have asked Dawn to review the TICs (which are from the VOC/SVOC analysis) to see if she recommends that we include those specific VOCs/SVOCs in the resampling analysis. I am hoping to hear from Dawn very soon so we can make those decisions. Rad data is still being evaluated. Thus, we are still maybe a week or two from knowing any conclusions with Rad data. My plan would be to proceed, assuming that Rad analysis is in the plan. We can always remove it later.

I think this document gives enough detail, that, with your agreement, I can have START prepare a sampling plan for review. We can discuss further, if needed. Please let me know your thoughts on where we need to go from here, since this affects the management of our action to supply water.

Rich

[attachment "Dimock Resampling OSC Recommendation.docx" deleted by Richard Rupert/R3/USEPA/US]

Richard M. Fetzer  
Federal On-Scene Coordinator  
100 Gypsum Road  
Stroudsburg, PA 18360  
(215) 341-6307